

Product Card

1-gang 1-way push switch insert 16A/250V, 2 X-terminals, lamp possibility



Push switch insert



1-gang 1-way push switch insert
16A/250V, 2 X-terminals, lamp possibility

Type: 1461.21

GTIN: 6418677328817



1-push switch insert without rocker. All 1-gang rockers fit to the insert except 1788-xx. The switch has 1 closing contact and 2 X-terminals. The X-terminals can be used for extending other wires or connecting the signal light. The signal light can be connected as a search- or signal light or as a completely separate signal light.



Technical specification

General Information

Product ID: 2TKA000227G1

Electrical quantities

Rated current: 16 A

Rated voltage: 250 V

Classification

Enclosure class: IP20

Product Card

1-gang 1-way push switch insert 16A/250V, 2 X-terminals, lamp possibility



Packing

| | |
|----------|--------|
| Package: | 10/100 |
| Unit: | PCS |

ETIM Data

| | |
|--|------------------------------|
| Assembly arrangement: | Basic element |
| Model: | Single push button |
| Method of operation: | Push button |
| Number of contacts as normally open contact: | 1 |
| Contactless type: | No |
| Number of rockers: | 1 |
| Number of poles: | 1 |
| Nominal voltage: | 250 V |
| Rated current: | 10 A |
| With lighting: | No |
| With signal lamp: | No |
| Feedback-signal contact: | No |
| Connection type: | Push-in clamp |
| Mounting method: | Flush mounted (plaster) |
| Type of fastening: | Mounting with claw and screw |
| Material: | Plastic |
| Material quality: | Thermoplastic |
| Halogen free: | Yes |
| Anti-bacterial treatment: | No |
| Surface protection: | Untreated |
| Transparent: | No |
| Label space/information surface: | Yes |
| Imprint: | Numbers |
| Suitable for degree of protection (IP): | IP20 |
| Impact strength: | IK00 |
| Device width: | 70 mm |
| Device height: | 70 mm |
| Device depth: | 26 mm |

Product Card

1-gang 1-way push switch insert 16A/250V, 2 X-terminals, lamp possibility



| | |
|--|-------|
| Min. depth of built-in installation box: | 15 mm |
| Compatible with Apple HomeKit: | No |
| Compatible with Google Assistant: | No |
| Compatible with Amazon Alexa: | No |
| IFTTT support available: | No |